

Table 2A: FY01 Patient w/ Psychosis, Patient Characteristics, by Diagnosis Grouping

	All	Schizophrenia	Bipolar	Other
Entire Population	196675	98739	65556	32380
<u>Registry Pts. History of VA Utilization</u>				
Years since first use in prior ten years, mean	7.6	8.5	6.9	6.6
SD	3.3	2.7	3.5	3.7
Yrs with 24-hour institutional use / yrs since 1st use, %	28.4%	30.6%	26.8%	23.9%
SD	27.8%	28.8%	26.8%	25.1%
Years with OP use / Years since first use, %	88.6%	90.0%	87.2%	86.7%
SD	20.4%	19.4%	21.1%	22.1%
<u>GAF scores</u>				
Lowest inpatient GAF score, mean	38.30	37.14	40.12	38.07
SD	13.86	13.75	13.86	13.79
Mean outpatient GAF score	50.56	49.19	53.33	48.46
SD	11.42	10.98	11.32	12.06
At least 1 IP GAF, among pts with MH bedsections, %	40.7%	42.0%	39.6%	38.5%
At least 1 OP GAF, among pts with MH clinic stops, %	85.7%	87.0%	85.2%	81.3%
<u>Mortality rates</u>				
died in FY01, %	2.8%	2.5%	1.5%	6.0%
Age-and-gender-adjusted Standardized Mortality Ratio	1.41	1.58	1.09	1.42
<u>Service Connection (SC)</u>				
Non-SC	49.5%	41.3%	56.4%	60.6%
SC 0 - 29%	8.8%	7.0%	10.3%	10.9%
SC 30 - 69%	11.2%	9.3%	13.7%	11.7%
SC 70 - 99%	6.5%	6.0%	7.6%	6.0%
SC 100%	24.0%	36.3%	12.0%	10.9%
Total	100.0%	100.0%	100.0%	100.0%
<u>VERA Patient Class, %</u>				
Complex*	19.3%	23.1%	14.0%	18.3%
Basic vested, Cat A*	76.6%	74.7%	80.0%	75.1%
Basic Non-vested, Cat A*	0.7%	0.8%	0.6%	0.7%
Basic, Cats C and N	3.5%	1.4%	5.4%	5.8%
Total	100.0%	100.0%	100.0%	100.0%
* Funded				
<u>Patient eligibility category, %</u>				
Cat A (SC or low income)	96.3%	98.4%	94.5%	93.6%
Cat C (NSC and higher income)	2.9%	1.1%	4.4%	5.7%
Non-Veteran	0.7%	0.5%	1.1%	0.7%
Total	100.0%	100.0%	100.0%	100.0%

Table 2A: FY01 Patient w/ Psychosis, Patient Characteristics, by Diagnosis Grouping, continued

	All	Schizophrenia	Bipolar	Other
Entire Population	196675	98739	65556	32380
<u>Substance Dependence and Abuse</u>				
Any dx of alcohol / drug dependence or abuse, %	26.2%	23.9%	32.5%	20.6%
<u>Homelessness</u>				
Homelessness indicated in FY01, %	12.8%	12.4%	15.0%	9.7%
<u>Residence in Metropolitan Area</u>				
Residing in a Metropolitan Statistical Area, %	77.9%	78.2%	78.6%	75.4%
<u>Distance</u>				
Mile from closest VA Medical Center, mean	30.66	27.96	33.21	33.68
<i>SD</i>	65.72	56.25	74.30	73.24
Miles from Closest VA Service Site, mean	10.68	10.01	11.17	11.73
<i>SD</i>	13.36	12.28	14.23	14.53

Table 2B: FY01 All Patients, Patient Characteristics, by VISN

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
All Patients	196675	10732	5783	9744	11261	5443	8299	11698	18161	8181	8666	8555
<u>Registry Pts. History of VA Utilization</u>												
Years since first use in prior ten years, mean	7.63	7.90	7.46	7.97	7.50	7.67	7.63	7.61	7.70	7.61	7.62	7.79
SD	3.30	3.17	3.38	3.08	3.35	3.23	3.33	3.27	3.31	3.34	3.37	3.26
Yrs with 24-hour institutional use / yrs since 1st use, %	28.4%	28.5%	28.4%	30.7%	29.3%	31.4%	30.7%	29.1%	23.0%	29.1%	30.2%	30.4%
SD	27.8%	28.2%	28.4%	30.4%	28.7%	29.2%	28.5%	28.3%	25.0%	27.5%	28.5%	29.6%
Years with OP use / Years since first use, %	88.6%	90.7%	88.8%	88.7%	89.4%	87.7%	87.5%	87.4%	89.1%	88.5%	88.5%	88.4%
SD	20.4%	19.1%	20.1%	20.8%	19.6%	21.0%	21.8%	21.2%	20.0%	20.7%	20.8%	21.1%
<u>GAF scores</u>												
Lowest inpatient GAF score, mean	38.30	31.73	40.14	36.21	41.48	39.75	42.32	40.28	36.11	38.35	39.52	44.24
SD	13.86	13.73	10.70	12.50	10.69	11.01	10.90	14.29	15.94	13.52	11.08	18.46
Mean outpatient GAF score	50.56	47.69	48.89	50.75	51.05	49.82	51.37	51.37	52.16	51.16	51.34	55.10
SD	11.42	11.94	9.89	10.03	11.03	10.70	11.37	9.41	11.19	11.19	12.08	10.94
At least 1 IP GAF, among pts with MH bedsections, %	40.7%	38.8%	52.4%	62.0%	33.8%	41.7%	28.7%	37.9%	25.9%	37.0%	52.3%	34.1%
At least 1 OP GAF, among pts with MH clinic stops, %	85.7%	87.4%	85.9%	87.3%	82.1%	76.4%	87.9%	90.6%	86.6%	84.9%	85.0%	89.2%
<u>Mortality rates</u>												
died in FY 01, %	2.8%	2.5%	3.0%	2.6%	3.4%	2.5%	2.9%	3.0%	2.7%	3.2%	2.7%	2.8%
Age-and-gender-adjusted Standardized Mortality Ratio	1.41	1.18	1.44	1.12	1.69	1.28	1.43	1.69	1.20	1.55	1.50	1.64

Table 2B: FY01 All Patients, Patient Characteristics, by VISN

	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
All Patients	196675	8358	4712	2939	8800	15201	8247	7428	5508	8348	8754	11857
<u>Registry Pts. History of VA Utilization</u>												
Years since first use in prior ten years, mean	7.63	7.77	7.73	7.97	7.65	7.67	7.59	7.37	7.36	7.47	7.36	7.49
SD	3.30	3.18	3.30	3.11	3.33	3.29	3.34	3.37	3.38	3.28	3.39	3.31
Yrs with 24-hour institutional use / yrs since 1st use, %	28.4%	32.8%	31.6%	31.5%	31.0%	27.0%	30.7%	26.0%	27.6%	27.6%	24.5%	25.2%
SD	27.8%	29.5%	27.9%	28.3%	28.0%	26.0%	29.1%	26.0%	26.6%	27.1%	25.7%	25.8%
Years with OP use / Years since first use, %	88.6%	88.4%	90.2%	90.2%	90.1%	88.0%	88.0%	88.8%	86.8%	88.0%	88.8%	88.1%
SD	20.4%	20.4%	18.9%	19.6%	18.8%	20.7%	20.9%	19.9%	21.3%	20.2%	20.0%	20.5%
<u>GAF scores</u>												
Lowest inpatient GAF score, mean	38.30	38.38	42.29	36.14	44.89	33.46	41.67	40.81	35.25	35.37	36.45	36.81
SD	13.86	12.13	13.93	10.72	14.15	15.28	13.77	13.63	14.74	13.58	13.05	13.44
Mean outpatient GAF score	50.56	48.24	53.90	51.66	52.40	50.85	49.78	50.42	47.17	46.36	51.50	47.20
SD	11.42	12.30	11.76	11.04	11.42	11.84	10.49	10.88	11.41	10.64	10.83	13.27
At least 1 IP GAF, among pts with MH bedsections, %	40.7%	55.5%	47.3%	55.2%	29.2%	57.9%	46.8%	24.7%	29.7%	44.0%	30.7%	32.2%
At least 1 OP GAF, among pts with MH clinic stops, %	85.7%	84.6%	80.6%	91.7%	84.4%	96.3%	87.3%	85.7%	84.3%	86.0%	84.9%	70.3%
<u>Mortality rates</u>												
died in FY 01, %	2.8%	2.4%	3.5%	2.6%	2.9%	3.1%	2.9%	3.0%	2.9%	2.0%	2.1%	2.1%
Age-and-gender-adjusted Standardized Mortality Ratio	1.41	1.28	1.78	1.42	1.43	1.57	1.42	1.43	1.70	1.33	1.17	1.21

Table 2B: FY01 All Patients, Patient Characteristics, by VISN (continued)

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
All Patients	196675	10732	5783	9744	11261	5443	8299	11698	18161	8181	8666	8555
<u>Service Connection (SC)</u>												
Non-SC	49.5%	47.8%	53.6%	47.7%	50.5%	51.4%	42.6%	45.8%	41.6%	49.8%	55.2%	53.7%
SC 0 - 29%	8.8%	7.9%	8.8%	8.1%	8.6%	8.3%	8.6%	9.3%	8.6%	8.8%	9.4%	8.4%
SC 30 - 69%	11.2%	10.5%	10.4%	10.9%	10.9%	10.2%	13.7%	13.9%	11.8%	11.6%	11.1%	11.0%
SC 70 - 99%	6.5%	7.7%	6.5%	6.1%	6.2%	5.7%	8.0%	7.9%	7.4%	4.9%	4.2%	4.8%
SC 100%	24.0%	26.0%	20.7%	27.2%	23.7%	24.4%	27.1%	23.1%	30.6%	24.9%	20.0%	22.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>VERA Patient Class, %</u>												
Complex*	19.3%	22.0%	25.1%	26.8%	20.7%	25.3%	18.2%	17.7%	12.0%	15.1%	25.1%	19.3%
Basic vested, Cat A*	76.6%	72.7%	69.6%	68.4%	75.0%	70.7%	78.2%	78.7%	83.5%	80.9%	71.3%	75.8%
Basic Non-vested, Cat A*	0.7%	0.7%	1.0%	0.6%	0.9%	0.8%	0.8%	0.5%	0.9%	0.8%	0.5%	1.5%
Basic, Cats C and N	3.5%	4.5%	4.3%	4.2%	3.4%	3.1%	2.8%	3.1%	3.6%	3.1%	3.0%	3.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded												
<u>Patient eligibility category, %</u>												
Cat A (SC or low income)	96.3%	95.3%	95.3%	95.4%	96.4%	96.6%	97.0%	96.8%	96.3%	96.7%	96.7%	96.3%
Cat C (NSC and higher income)	2.9%	3.6%	3.6%	3.9%	3.1%	2.7%	2.7%	2.8%	2.9%	2.3%	2.8%	3.3%
Non-Veteran	0.7%	1.1%	1.1%	0.7%	0.6%	0.8%	0.3%	0.4%	0.8%	1.0%	0.5%	0.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>Substance Dependence and Abuse</u>												
Any dx of alcohol / drug dependence or abuse, %	26.2%	29.6%	32.0%	27.4%	24.4%	31.1%	22.1%	22.7%	19.2%	21.5%	29.1%	23.9%
<u>Homelessness</u>												
Homelessness indicated in FY01, %	12.8%	13.5%	12.1%	17.8%	11.5%	16.4%	10.3%	9.7%	7.9%	8.0%	14.6%	10.5%
<u>Residence in Metropolitan Area</u>												
Residing in a Metropolitan Statistical Area, %	77.9%	84.8%	77.9%	98.1%	85.6%	91.6%	70.6%	72.1%	66.2%	63.9%	80.0%	74.5%
<u>Distance</u>												
Mile from Closest VA Medical Center, mean	30.66	18.82	21.84	10.25	16.86	12.02	27.06	31.73	35.23	34.93	23.46	30.67
SD	65.72	21.93	22.27	10.64	16.54	15.18	23.20	28.11	32.31	31.32	19.93	30.46
Miles from Closest VA Service Site, mean	10.68	7.58	6.69	4.09	7.42	6.70	16.24	15.31	8.79	15.40	8.61	11.95
SD	13.36	7.91	6.94	4.32	6.78	6.38	13.83	14.38	8.29	13.52	8.55	11.43

Table 2B: FY01 All Patients, Patient Characteristics, by VISN (continued)

	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
All Patients	196675	8358	4712	2939	8800	15201	8247	7428	5508	8348	8754	11857
<u>Service Connection (SC)</u>												
Non-SC	49.5%	58.1%	51.5%	54.0%	57.1%	48.0%	45.7%	48.6%	48.0%	47.6%	49.6%	55.4%
SC 0 - 29%	8.8%	8.2%	8.6%	7.8%	8.8%	9.1%	9.9%	9.5%	9.0%	8.6%	8.0%	9.3%
SC 30 - 69%	11.2%	10.0%	11.0%	10.6%	9.3%	11.1%	12.2%	10.7%	11.9%	11.1%	10.3%	10.5%
SC 70 - 99%	6.5%	5.0%	6.1%	6.0%	4.8%	6.3%	7.2%	9.1%	6.8%	9.1%	7.1%	5.1%
SC 100%	24.0%	18.7%	22.8%	21.5%	20.0%	25.5%	24.9%	22.0%	24.3%	23.5%	25.1%	19.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>VERA Patient Class, %</u>												
Complex*	19.3%	27.5%	22.1%	21.4%	18.0%	16.0%	21.8%	12.7%	18.0%	19.3%	17.1%	17.8%
Basic vested, Cat A*	76.6%	68.2%	72.5%	73.9%	76.3%	80.7%	74.4%	83.0%	77.4%	78.2%	79.3%	78.8%
Basic Non-vested, Cat A*	0.7%	0.9%	0.4%	0.6%	0.8%	0.5%	0.6%	0.3%	0.5%	0.4%	0.7%	0.6%
Basic, Cats C and N	3.5%	3.4%	5.0%	4.1%	4.9%	2.8%	3.3%	4.0%	4.1%	2.1%	2.9%	2.7%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded												
<u>Patient eligibility category, %</u>												
Cat A (SC or low income)	96.3%	96.3%	94.7%	95.6%	94.8%	97.1%	96.4%	95.8%	95.7%	97.8%	96.9%	97.1%
Cat C (NSC and higher income)	2.9%	3.2%	4.3%	3.8%	3.9%	2.3%	2.5%	2.9%	3.5%	1.9%	2.1%	2.3%
Non-Veteran	0.7%	0.5%	1.1%	0.5%	1.3%	0.6%	1.0%	1.3%	0.8%	0.3%	1.0%	0.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>Substance Dependence and Abuse</u>												
Any dx of alcohol / drug dependence or abuse, %	26.2%	32.7%	32.8%	25.0%	24.9%	23.5%	25.3%	26.2%	25.2%	32.6%	30.4%	29.5%
<u>Homelessness</u>												
Homelessness indicated in FY01, %	12.8%	14.8%	10.6%	6.9%	13.0%	10.4%	14.2%	12.0%	10.1%	20.3%	17.0%	20.9%
<u>Residence in Metropolitan Area</u>												
Residing in a Metropolitan Statistical Area, %	77.9%	82.4%	60.6%	51.2%	66.7%	72.3%	80.9%	78.7%	71.7%	75.7%	89.3%	99.5%
<u>Distance</u>												
Mile from Closest VA Medical Center, mean	30.66	21.20	41.53	43.85	26.32	40.00	37.17	44.23	45.75	79.96	29.51	17.19
SD	65.72	33.19	48.86	45.60	30.78	35.89	47.87	65.44	53.46	268.30	42.42	22.00
Miles from Closest VA Service Site, mean	10.68	8.50	17.48	14.93	11.53	16.78	9.71	10.30	12.42	14.57	8.40	5.82
SD	13.36	10.69	19.77	16.56	12.64	15.50	10.04	12.89	17.97	30.26	10.69	6.94

Table 2C: FY01 Patients w/ Schizophrenia, Patient Characteristics, by VISN

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Schizophrenia	98739	5109	2830	6107	6385	2983	4167	6705	9526	3636	4783	4924
<u>Registry Pts. History of VA Utilization</u>												
Years since first use in prior ten years, mean	8.5	8.7	8.4	8.6	8.4	8.4	8.6	8.3	8.6	8.7	8.4	8.5
SD	2.7	2.5	2.8	2.6	2.8	2.8	2.7	2.9	2.6	2.6	2.9	2.7
Yrs with 24-hour institutional use / yrs since 1st use, %	30.6%	30.8%	30.5%	33.8%	31.6%	33.2%	33.5%	31.8%	23.2%	31.4%	33.4%	32.8%
SD	28.8%	29.4%	29.1%	31.4%	29.7%	30.1%	29.5%	29.3%	25.0%	28.5%	29.5%	30.6%
Years with OP use / Years since first use, %	90.0%	91.7%	90.1%	88.8%	91.0%	88.7%	88.7%	88.5%	90.9%	90.9%	89.9%	89.4%
SD	19.4%	18.6%	19.2%	21.1%	18.4%	20.5%	21.3%	20.4%	18.1%	18.5%	19.7%	20.5%
<u>GAF scores</u>												
Lowest inpatient GAF score, mean	37.14	29.64	37.52	35.60	39.70	39.34	41.01	39.12	35.64	37.30	38.43	44.27
SD	13.75	13.28	10.93	12.36	10.01	11.14	11.02	14.13	15.52	13.51	10.67	20.10
Mean outpatient GAF score	49.19	45.61	46.07	49.44	49.61	48.89	50.64	50.45	51.21	50.03	49.33	54.26
SD	10.98	11.87	9.12	9.49	10.72	10.20	11.39	9.14	10.48	10.56	11.80	10.48
At least 1 IP GAF, among pts with MH bedsections, %	42.0%	41.6%	48.0%	61.3%	35.5%	43.4%	29.4%	39.6%	25.6%	40.3%	54.5%	35.3%
At least 1 OP GAF, among pts with MH clinic stops, %	87.0%	87.8%	86.3%	87.9%	83.2%	79.3%	89.3%	91.6%	88.4%	87.4%	85.5%	90.3%
<u>Mortality rates</u>												
died in FY 01, %	2.5%	2.7%	3.0%	2.9%	3.2%	2.0%	2.5%	2.5%	2.2%	3.0%	2.6%	2.6%
Age-and-gender-adjusted Standardized Mortality Ratio	1.58	1.42	1.54	1.43	1.80	1.26	1.63	1.73	1.25	1.73	1.79	1.73

Table 2C: FY01 Patients w/ Schizophrenia, Patient Characteristics, by VISN

	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
Patients w/ Schizophrenia	98739	3976	2094	1478	3893	7780	3754	2829	2165	3404	4396	5815
<u>Registry Pts. History of VA Utilization</u>												
Years since first use in prior ten years, mean	8.5	8.5	8.6	8.7	8.6	8.5	8.5	8.3	8.3	8.3	8.1	8.3
SD	2.7	2.7	2.7	2.5	2.7	2.7	2.7	2.8	2.9	2.8	3.0	2.8
Yrs with 24-hour institutional use / yrs since 1st use, %	30.6%	33.8%	32.8%	34.7%	33.1%	29.2%	34.2%	27.9%	30.6%	29.7%	25.6%	27.4%
SD	28.8%	30.7%	28.5%	29.2%	28.8%	26.9%	30.5%	27.0%	27.6%	27.8%	26.3%	26.7%
Years with OP use / Years since first use, %	90.0%	89.0%	91.2%	91.0%	92.0%	89.6%	90.0%	90.8%	88.4%	90.1%	90.4%	89.5%
SD	19.4%	20.3%	18.5%	19.1%	17.3%	19.2%	19.3%	17.9%	20.1%	18.7%	18.6%	19.2%
<u>GAF scores</u>												
Lowest inpatient GAF score, mean	37.14	36.78	40.37	34.93	41.78	33.44	40.50	39.17	33.36	33.79	33.63	36.21
SD	13.75	12.57	13.82	10.79	14.49	14.86	13.30	15.48	13.25	13.71	12.40	12.69
Mean outpatient GAF score	49.19	46.25	52.12	50.14	51.31	50.08	47.89	48.35	44.04	43.97	49.58	45.34
SD	10.98	11.56	11.84	10.27	10.61	11.56	9.91	10.12	10.11	9.69	10.61	12.29
At least 1 IP GAF, among pts with MH bedsections, %	42.0%	51.0%	41.8%	55.6%	27.8%	60.1%	46.2%	26.3%	33.7%	44.7%	32.4%	36.2%
At least 1 OP GAF, among pts with MH clinic stops, %	87.0%	85.8%	80.8%	93.2%	85.9%	96.8%	87.0%	86.7%	83.9%	87.3%	86.8%	73.4%
<u>Mortality rates</u>												
died in FY 01, %	2.5%	2.4%	3.0%	2.8%	2.5%	2.8%	2.8%	1.7%	2.6%	2.0%	2.0%	2.0%
Age-adjusted Standardized Mortality Ratio	1.58	1.57	1.77	1.80	1.65	1.90	1.79	1.22	1.91	1.49	1.32	1.44

Table 2C: FY01 Patients w/ Schizophrenia, Patient Characteristics, by VISN (continued)

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Schizophrenia	98739	5109	2830	6107	6385	2983	4167	6705	9526	3636	4783	4924
<u>Service Connection (SC)</u>												
Non-SC	41.3%	39.3%	45.7%	40.0%	43.5%	44.2%	34.2%	39.2%	29.3%	40.5%	49.3%	46.9%
SC 0 - 29%	7.0%	6.2%	7.0%	7.1%	7.0%	7.3%	6.9%	8.0%	6.5%	6.4%	8.1%	6.6%
SC 30 - 69%	9.3%	8.4%	8.3%	9.6%	9.0%	8.0%	10.2%	12.9%	10.2%	9.3%	9.0%	10.1%
SC 70 - 99%	6.0%	6.6%	6.1%	6.1%	6.3%	5.6%	7.1%	8.0%	7.5%	4.0%	4.2%	5.0%
SC 100%	36.3%	39.5%	32.9%	37.2%	34.1%	34.9%	41.6%	31.9%	46.5%	39.9%	29.3%	31.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>VERA Patient Class, %</u>												
Complex*	23.1%	28.1%	28.6%	32.0%	24.6%	28.2%	21.9%	20.6%	12.2%	19.3%	31.9%	23.2%
Basic vested, Cat A*	74.7%	68.9%	68.9%	65.4%	73.1%	69.2%	76.0%	77.5%	85.8%	78.7%	66.2%	73.8%
Basic Non-vested, Cat A*	0.8%	0.8%	1.1%	0.7%	1.0%	0.8%	0.9%	0.5%	1.0%	1.0%	0.4%	1.6%
Basic, Cats C and N	1.4%	2.2%	1.4%	1.9%	1.3%	1.9%	1.2%	1.5%	1.0%	1.0%	1.4%	1.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded												
<u>Patient eligibility category, %</u>												
Cat A (SC or low income)	98.4%	97.7%	98.3%	97.7%	98.6%	98.0%	98.8%	98.4%	99.0%	99.0%	98.3%	98.3%
Cat C (NSC and higher income)	1.1%	1.5%	1.3%	1.8%	1.1%	1.4%	1.0%	1.3%	0.5%	0.5%	1.3%	1.5%
Non-Veteran	0.5%	0.8%	0.5%	0.5%	0.3%	0.6%	0.2%	0.4%	0.5%	0.5%	0.4%	0.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>Substance Dependence and Abuse</u>												
Any dx of alcohol / drug dependence or abuse, %	23.9%	25.4%	27.1%	26.0%	22.4%	29.1%	21.2%	22.8%	16.5%	19.1%	28.7%	21.1%
<u>Homelessness</u>												
Homelessness indicated in FY01, %	12.4%	11.5%	10.2%	18.8%	11.8%	15.9%	10.6%	10.5%	6.2%	7.5%	15.3%	10.6%
<u>Residence in Metropolitan Area</u>												
Residing in a Metropolitan Statistical Area, %	78.2%	87.2%	79.6%	97.9%	87.7%	92.1%	70.9%	72.7%	55.4%	65.8%	78.2%	75.0%
<u>Distance</u>												
Mile from Closest VA Medical Center, mean	27.96	17.32	20.21	10.21	15.38	10.97	26.74	30.01	32.10	34.64	22.06	28.36
SD	56.25	20.28	21.86	10.60	15.85	14.08	23.34	27.82	30.38	31.87	19.61	29.82
Miles from Closest VA Service Site, mean	10.01	6.92	6.24	4.16	6.97	6.28	15.63	14.66	8.96	15.08	8.19	11.10
SD	12.28	7.35	6.61	4.45	6.49	5.82	13.70	14.20	8.03	13.60	8.49	11.01

Table 2C: FY01 Patients w/ Schizophrenia, Patient Characteristics, by VISN (continued)

	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
Patients w/ Schizophrenia	98739	3976	2094	1478	3893	7780	3754	2829	2165	3404	4396	5815
<u>Service Connection (SC)</u>												
Non-SC	41.3%	49.4%	44.0%	48.2%	49.5%	39.5%	37.2%	38.7%	39.7%	41.1%	41.9%	48.2%
SC 0 - 29%	7.0%	7.1%	7.3%	6.0%	6.8%	7.3%	8.6%	6.8%	6.1%	6.8%	6.0%	7.7%
SC 30 - 69%	9.3%	10.3%	8.1%	8.1%	6.8%	9.6%	9.5%	7.8%	8.5%	6.8%	8.3%	9.4%
SC 70 - 99%	6.0%	5.2%	5.6%	5.1%	4.4%	5.6%	6.0%	8.1%	4.8%	7.1%	6.1%	4.7%
SC 100%	36.3%	27.9%	35.0%	32.6%	32.6%	38.0%	38.8%	38.6%	41.0%	38.2%	37.7%	30.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>VERA Patient Class, %</u>												
Complex*	23.1%	29.1%	26.7%	25.2%	21.2%	19.5%	26.8%	12.8%	24.2%	24.4%	19.6%	22.9%
Basic vested, Cat A*	74.7%	68.0%	71.1%	73.3%	75.6%	79.0%	71.2%	84.8%	73.5%	74.1%	78.5%	75.3%
Basic Non-vested, Cat A*	0.8%	1.4%	0.3%	0.5%	0.9%	0.5%	0.6%	0.4%	0.7%	0.4%	0.6%	0.8%
Basic, Cats C and N	1.4%	1.6%	2.0%	1.0%	2.2%	1.0%	1.3%	2.0%	1.6%	1.0%	1.3%	1.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded												
<u>Patient eligibility category, %</u>												
Cat A (SC or low income)	98.4%	98.1%	97.8%	98.7%	97.6%	99.0%	98.5%	97.9%	98.4%	98.9%	98.6%	98.9%
Cat C (NSC and higher income)	1.1%	1.4%	1.7%	1.0%	1.5%	0.7%	0.8%	0.6%	0.9%	0.9%	0.7%	0.7%
Non-Veteran	0.5%	0.5%	0.5%	0.3%	0.9%	0.4%	0.7%	1.4%	0.7%	0.2%	0.6%	0.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>Substance Dependence and Abuse</u>												
Any dx of alcohol / drug dependence or abuse, %	23.9%	27.9%	27.6%	22.3%	20.7%	23.0%	24.1%	25.7%	21.2%	28.3%	27.3%	28.5%
<u>Homelessness</u>												
Homelessness indicated in FY01, %	12.4%	11.8%	10.0%	4.9%	12.2%	10.2%	13.6%	11.7%	10.3%	20.0%	17.1%	21.5%
<u>Residence in Metropolitan Area</u>												
Residing in a Metropolitan Statistical Area, %	78.2%	81.7%	63.6%	51.3%	70.6%	73.8%	82.7%	79.5%	70.4%	78.8%	92.2%	99.6%
<u>Distance</u>												
Mile from Closest VA Medical Center, mean	27.96	20.58	38.26	41.91	23.92	38.64	36.09	50.70	47.26	67.17	26.25	15.39
SD	56.25	39.74	46.94	45.23	28.78	35.74	49.38	74.62	55.06	240.07	40.69	19.59
Miles from Closest VA Service Site, mean	10.01	8.32	16.22	14.01	10.51	16.20	8.84	10.02	11.87	12.48	7.52	5.30
SD	12.28	11.82	19.11	16.03	12.01	15.38	9.58	12.94	17.37	24.66	8.95	6.35

Table 2D: FY01 Patients w/ Bipolar Disorder, Patient Characteristics, by VISN

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Bipolar Disorder	65556	4263	2240	2438	3589	1551	2558	3093	5575	2814	2754	2644
<u>Registry Pts. History of VA Utilization</u>												
Years since first use in prior ten years, mean	6.88	7.14	6.61	6.99	6.60	6.98	6.82	6.76	6.77	6.74	6.88	6.91
SD	3.50	3.46	3.55	3.42	3.55	3.41	3.52	3.50	3.57	3.58	3.54	3.57
Yrs with 24-hour institutional use / yrs since 1st use, %	26.8%	26.8%	26.6%	26.7%	25.9%	30.0%	29.0%	25.3%	24.1%	27.7%	26.0%	27.2%
SD	26.8%	27.2%	28.0%	28.4%	26.6%	28.3%	27.6%	26.4%	25.4%	26.7%	26.8%	27.7%
Years with OP use / Years since first use, %	87.2%	89.3%	87.0%	88.6%	87.4%	86.2%	86.6%	86.1%	86.7%	86.8%	86.8%	86.7%
SD	21.1%	19.8%	20.6%	20.0%	20.9%	21.2%	21.8%	21.7%	21.7%	21.7%	21.6%	22.1%
<u>GAF scores</u>												
Lowest inpatient GAF score, mean	40.12	33.53	42.57	37.90	44.58	41.24	44.41	42.72	37.44	39.69	41.23	44.97
SD	13.86	14.20	10.08	12.80	10.76	10.56	10.63	14.48	16.09	13.33	12.07	15.87
Mean outpatient GAF score	53.33	50.52	52.37	54.24	54.18	52.76	55.67	53.94	54.70	53.84	55.22	57.76
SD	11.32	11.41	9.48	10.11	10.76	10.86	10.42	9.24	11.35	11.13	11.45	10.60
At least 1 IP GAF, among pts with MH bedsections, %	39.6%	37.0%	57.7%	64.2%	31.7%	39.5%	27.5%	34.3%	25.3%	34.7%	50.6%	32.8%
At least 1 OP GAF, among pts with MH clinic stops, %	85.2%	88.1%	86.6%	87.3%	81.1%	72.9%	88.5%	90.0%	86.4%	82.9%	85.9%	88.5%
<u>Mortality rates</u>												
died in FY 01, %	1.5%	1.4%	1.6%	1.2%	1.8%	1.4%	1.1%	1.6%	1.6%	1.6%	1.4%	1.8%
Age-and-gender-adjusted Standardized Mortality Ratio	1.09	0.90	1.24	0.67	1.24	1.21	0.83	1.26	1.01	1.29	1.13	1.34

Table 2D: FY01 Patients w/ Bipolar Disorder, Patient Characteristics, by VISN

	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
Patients w/ Bipolar Disorder	65556	3112	1882	1105	3018	3989	2836	3013	2561	3593	2739	4189
<u>Registry Pts. History of VA Utilization</u>												
Years since first use in prior ten years, mean	6.88	7.19	7.25	7.39	7.06	6.89	6.85	6.84	6.81	6.88	6.66	6.75
SD	3.50	3.38	3.39	3.37	3.49	3.49	3.50	3.44	3.50	3.42	3.55	3.48
Yrs with 24-hour institutional use / yrs since 1st use, %	26.8%	33.1%	31.3%	28.2%	30.6%	26.3%	28.9%	25.2%	25.3%	26.8%	23.5%	23.6%
SD	26.8%	28.6%	27.7%	27.2%	28.0%	25.5%	27.7%	25.7%	25.5%	26.7%	25.1%	25.0%
Years with OP use / Years since first use, %	87.2%	87.4%	89.7%	89.3%	88.6%	86.2%	85.9%	87.0%	85.8%	86.8%	87.6%	86.7%
SD	21.1%	20.5%	18.6%	20.1%	19.5%	21.6%	21.9%	21.0%	21.7%	20.8%	20.6%	21.5%
<u>GAF scores</u>												
Lowest inpatient GAF score, mean	40.12	39.88	44.32	37.10	47.98	33.39	42.77	42.94	38.13	36.75	39.84	39.09
SD	13.86	11.60	12.16	10.09	14.03	16.25	14.40	11.44	15.94	13.56	12.82	14.36
Mean outpatient GAF score	53.33	50.92	56.57	54.44	55.33	53.58	52.75	52.89	50.33	49.12	55.04	50.46
SD	11.32	12.77	10.97	11.24	11.53	11.48	10.11	10.82	11.53	10.94	10.11	13.77
At least 1 IP GAF, among pts with MH bedsections, %	39.6%	61.3%	51.9%	54.8%	33.4%	54.8%	49.5%	22.2%	26.4%	43.9%	30.7%	
At least 1 OP GAF, among pts with MH clinic stops, %	85.2%	83.0%	82.3%	92.0%	84.6%	96.8%	89.1%	86.2%	85.2%	86.2%	84.4%	68.1%
<u>Mortality rates</u>												
died in FY 01, %	1.5%	1.2%	2.3%	1.0%	1.5%	1.5%	1.5%	1.4%	1.8%	1.1%	1.2%	1.2%
Age-adjusted Standardized Mortality Ratio	1.09	0.86	1.59	0.69	1.09	1.28	1.30	1.08	1.52	0.97	0.92	0.94

Table 2D: FY01 Patients w/ Bipolar Disorder, Patient Characteristics, by VISN (continued)

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Bipolar Disorder	65556	4263	2240	2438	3589	1551	2558	3093	5575	2814	2754	2644
<u>Service Connection (SC)</u>												
Non-SC	56.4%	55.5%	60.4%	59.4%	58.1%	55.1%	47.7%	53.0%	54.1%	56.6%	59.9%	61.5%
SC 0 - 29%	10.3%	9.3%	10.4%	9.5%	10.8%	8.6%	10.4%	10.9%	10.8%	11.2%	10.6%	10.8%
SC 30 - 69%	13.7%	12.5%	12.9%	14.6%	13.8%	14.9%	18.2%	17.0%	14.4%	13.6%	15.0%	12.6%
SC 70 - 99%	7.6%	9.3%	7.1%	6.2%	6.3%	7.3%	10.1%	8.0%	8.3%	6.2%	4.5%	5.0%
SC 100%	12.0%	13.3%	9.2%	10.3%	11.0%	14.1%	13.6%	11.2%	12.4%	12.4%	10.1%	10.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>VERA Patient Class, %</u>												
Complex*	14.0%	15.3%	19.4%	19.8%	13.2%	19.1%	12.2%	10.9%	9.8%	9.9%	15.4%	12.2%
Basic vested, Cat A*	80.0%	77.0%	73.2%	71.7%	80.8%	76.7%	83.0%	83.2%	83.4%	83.8%	79.7%	80.0%
Basic Non-vested, Cat A*	0.6%	0.7%	0.6%	0.4%	0.6%	0.5%	0.7%	0.4%	0.6%	0.7%	0.5%	1.5%
Basic, Cats C and N	5.4%	7.0%	6.8%	8.1%	5.3%	3.8%	4.0%	5.5%	6.1%	5.6%	4.3%	6.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded												
<u>Patient eligibility category, %</u>												
Cat A (SC or low income)	94.5%	92.9%	93.0%	91.7%	94.5%	95.9%	95.9%	94.4%	93.7%	94.3%	95.6%	93.4%
Cat C (NSC and higher income)	4.4%	5.5%	5.0%	7.3%	4.5%	3.0%	3.8%	5.1%	5.1%	3.8%	3.8%	6.0%
Non-Veteran	1.1%	1.6%	2.0%	0.9%	1.0%	1.1%	0.4%	0.5%	1.2%	1.8%	0.6%	0.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>Substance Dependence and Abuse</u>												
Any dx of alcohol / drug dependence or abuse, %	32.5%	37.3%	42.1%	33.9%	30.0%	38.7%	26.6%	24.2%	27.2%	28.3%	32.8%	29.4%
<u>Homelessness</u>												
Homelessness indicated in FY01, %	15.0%	17.2%	15.7%	19.0%	12.3%	19.4%	12.6%	9.5%	11.9%	10.7%	11.2%	9.7%
<u>Residence in Metropolitan Area</u>												
Residing in a Metropolitan Statistical Area, %	78.6%	85.3%	75.3%	98.0%	83.0%	91.1%	72.0%	72.5%	79.4%	64.3%	81.0%	74.3%
<u>Distance</u>												
Mile from Closest VA Medical Center, mean	33.21	19.54	24.19	10.93	19.52	13.48	26.38	35.45	39.15	35.20	25.40	35.56
SD	74.30	22.99	22.79	10.83	17.56	16.29	22.88	28.99	34.50	30.89	20.23	31.06
Miles from Closest VA Service Site, mean	11.17	7.93	7.08	4.24	8.15	7.45	16.25	16.16	8.49	15.24	9.40	13.25
SD	14.23	7.87	7.12	4.22	7.19	6.91	13.80	14.45	8.46	13.19	8.61	11.69

Table 2D: FY01 Patients w/ Bipolar Disorder, Patient Characteristics, by VISN (continued)

	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
Patients w/ Bipolar Disorder	65556	3112	1882	1105	3018	3989	2836	3013	2561	3593	2739	4189
<u>Service Connection (SC)</u>												
Non-SC	56.4%	64.4%	55.9%	57.3%	61.0%	55.8%	51.0%	53.4%	51.7%	51.4%	56.1%	61.8%
SC 0 - 29%	10.3%	9.1%	9.8%	10.3%	11.0%	10.5%	10.7%	11.0%	11.4%	9.0%	9.4%	10.5%
SC 30 - 69%	13.7%	9.8%	14.1%	14.1%	11.1%	13.2%	15.6%	12.5%	15.4%	14.5%	13.1%	11.8%
SC 70 - 99%	7.6%	4.9%	7.1%	7.2%	6.2%	7.8%	8.4%	10.7%	8.3%	11.1%	8.7%	5.8%
SC 100%	12.0%	11.8%	13.1%	11.0%	10.7%	12.8%	14.3%	12.4%	13.2%	13.9%	12.7%	10.1%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>VERA Patient Class, %</u>												
Complex*	14.0%	26.7%	17.2%	16.5%	16.0%	10.9%	17.2%	8.8%	11.7%	14.4%	11.4%	11.7%
Basic vested, Cat A*	80.0%	68.1%	76.0%	76.3%	76.5%	84.4%	77.3%	85.8%	82.6%	82.5%	82.6%	83.6%
Basic Non-vested, Cat A*	0.6%	0.4%	0.6%	0.5%	0.7%	0.5%	0.4%	0.3%	0.3%	0.3%	0.8%	0.5%
Basic, Cats C and N	5.4%	4.7%	6.2%	6.7%	6.8%	4.3%	5.0%	5.1%	5.4%	2.8%	5.2%	4.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded												
<u>Patient eligibility category, %</u>												
Cat A (SC or low income)	94.5%	95.0%	93.6%	93.1%	92.8%	95.6%	94.9%	94.9%	94.5%	97.2%	94.7%	95.8%
Cat C (NSC and higher income)	4.4%	4.3%	4.9%	6.1%	5.1%	3.4%	3.4%	3.7%	4.6%	2.5%	3.4%	3.4%
Non-Veteran	1.1%	0.6%	1.4%	0.8%	2.1%	1.0%	1.8%	1.5%	0.9%	0.4%	1.9%	0.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>Substance Dependence and Abuse</u>												
Any dx of alcohol / drug dependence or abuse, %	32.5%	40.8%	41.7%	30.2%	33.7%	29.3%	31.5%	30.6%	29.9%	37.1%	34.1%	33.2%
<u>Homelessness</u>												
Homelessness indicated in FY01, %	15.0%	20.4%	11.9%	10.0%	16.0%	13.4%	18.0%	13.8%	11.1%	20.3%	16.3%	21.9%
<u>Residence in Metropolitan Area</u>												
Residing in a Metropolitan Statistical Area, %	78.6%	83.7%	59.9%	52.0%	64.9%	72.9%	82.0%	78.8%	73.7%	73.5%	85.3%	99.4%
<u>Distance</u>												
Mile from Closest VA Medical Center, mean	33.21	21.23	43.85	44.65	27.85	42.24	37.76	38.61	43.43	85.37	34.57	18.37
SD	74.30	25.63	50.80	44.72	31.69	37.22	45.78	56.26	51.54	276.96	44.80	23.30
Miles from Closest VA Service Site, mean	11.17	8.67	18.31	15.55	12.28	17.34	10.29	10.21	12.50	16.35	9.61	6.43
SD	14.23	9.58	20.28	16.73	12.95	15.63	10.02	12.59	17.90	32.99	12.26	7.68

Table 2E: FY01 Patients w/ Other Psychoses, Patient Characteristics, by VISN

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Other Psychoses	32380	1360	713	1199	1287	909	1574	1900	3060	1731	1129	987
<u>Registry Pts. History of VA Utilization</u>												
Years since first use in prior ten years, mean	6.61	7.15	6.56	6.64	5.80	6.60	6.45	6.69	643.5%	6.81	6.10	6.47
SD	3.75	3.61	3.82	3.72	3.90	3.76	3.75	3.64	385.4%	3.64	4.01	3.79
Yrs with 24-hour institutional use / yrs since 1st use, %	23.9%	23.9%	24.4%	20.8%	25.5%	26.8%	24.2%	24.2%	20.2%	25.6%	24.3%	25.4%
SD	25.1%	24.6%	24.9%	24.2%	27.8%	26.6%	25.0%	25.6%	23.7%	25.7%	25.1%	26.6%
Years with OP use / Years since first use, %	86.7%	90.6%	88.3%	88.3%	85.9%	86.2%	85.6%	85.5%	0.86	85.6%	85.5%	87.8%
SD	22.1%	18.8%	21.8%	20.5%	22.3%	22.0%	23.2%	23.2%	0.22	23.4%	23.4%	21.4%
<u>GAF scores</u>												
Lowest inpatient GAF score, mean	38.07	34.92	38.55	36.18	43.03	38.50	42.44	41.48	34.28	38.46	41.04	41.58
SD	13.79	12.10	10.01	12.39	12.52	11.15	10.41	14.18	16.85	13.83	9.50	13.73
Mean outpatient GAF score	48.46	45.72	47.76	49.83	48.34	46.63	49.42	50.14	49.67	48.34	49.72	50.91
SD	12.06	12.06	10.72	11.19	11.64	11.20	11.54	10.08	12.85	11.95	12.63	12.91
At least 1 IP GAF, among pts with MH bedsections, %	38.5%	33.3%	51.2%	61.7%	29.6%	40.1%	29.0%	37.0%	28.6%	33.2%	45.1%	29.9%
At least 1 OP GAF, among pts with MH clinic stops, %	81.3%	82.3%	80.1%	82.2%	77.4%	71.1%	80.3%	87.1%	78.6%	82.0%	79.0%	84.2%
<u>Mortality rates</u>												
died in FY 01, %	6.0%	5.1%	7.0%	3.7%	8.9%	5.9%	6.9%	7.1%	6.0%	6.3%	6.0%	6.6%
Age-and-gender-adjusted Standardized Mortality Ratio	1.42	1.11	1.45	0.80	1.87	1.33	1.52	1.88	1.28	1.53	1.34	1.77

Table 2E: FY01 Patients w/ Other Psychoses, Patient Characteristics, by VISN

	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
Patients w/ Other Psychoses	32380	1270	736	356	1889	3432	1657	1586	782	1351	1619	1853
<u>Registry Pts. History of VA Utilization</u>												
Years since first use in prior ten years, mean	6.61	6.96	6.48	6.88	6.64	6.73	6.74	6.71	659.5%	6.85	6.44	6.60
SD	3.75	3.53	3.91	3.73	3.78	3.72	3.76	3.73	370.9%	3.54	3.66	3.73
Yrs with 24-hour institutional use / yrs since 1st use, %	23.9%	28.4%	27.7%	26.3%	26.0%	22.3%	24.5%	23.8%	25.6%	24.1%	22.7%	20.9%
SD	25.1%	26.5%	25.8%	25.3%	25.1%	23.6%	26.0%	24.2%	26.0%	25.8%	25.0%	23.2%
Years with OP use / Years since first use, %	86.7%	88.4%	87.9%	89.4%	88.0%	85.8%	86.2%	88.2%	0.85	85.4%	85.6%	86.0%
SD	22.1%	20.3%	21.1%	20.1%	20.7%	22.9%	22.9%	21.2%	0.23	22.1%	22.8%	22.1%
<u>GAF scores</u>												
Lowest inpatient GAF score, mean	38.07	38.21	40.93	37.76	43.25	33.59	42.61	40.14	32.18	35.44	38.58	34.65
SD	13.79	11.97	17.70	11.98	10.81	15.14	13.39	12.95	14.07	12.87	13.53	14.19
Mean outpatient GAF score	48.46	47.58	51.18	48.19	48.79	48.80	48.25	48.93	43.51	44.47	50.52	45.61
SD	12.06	12.07	12.35	11.93	11.92	12.50	11.56	11.63	11.35	10.26	11.25	14.01
At least 1 IP GAF, among pts with MH bedsections, %	38.5%	54.3%	50.0%	55.4%	21.9%	56.3%	42.6%	27.2%	29.4%	42.7%	26.4%	29.9%
At least 1 OP GAF, among pts with MH clinic stops, %	81.3%	85.0%	74.4%	82.8%	79.3%	94.3%	83.6%	81.4%	81.5%	81.3%	79.4%	64.5%
<u>Mortality rates</u>												
died in FY 01, %	6.0%	5.0%	7.9%	6.2%	6.2%	5.7%	5.3%	8.4%	7.4%	4.4%	4.0%	4.5%
Age-adjusted Standardized Mortality Ratio	1.42	1.29	1.98	1.62	1.43	1.40	1.18	1.71	1.69	1.51	1.16	1.14

Table 2E: FY01 Patients w/ Other Psychoses, Patient Characteristics, by VISN (continued)

	all VISNs	VISN 1	VISN 2	VISN 3	VISN 4	VISN 5	VISN 6	VISN 7	VISN 8	VISN 9	VISN 10	VISN 11
Patients w/ Other Psychoses	32380	1360	713	1199	1287	909	1574	1900	3060	1731	1129	987
<u>Service Connection (SC)</u>												
Non-SC	60.6%	55.9%	63.5%	63.5%	64.2%	68.8%	56.5%	57.5%	57.1%	58.6%	68.9%	66.8%
SC 0 - 29%	10.9%	10.1%	10.9%	10.8%	10.5%	11.0%	10.4%	11.3%	11.1%	10.0%	11.8%	11.0%
SC 30 - 69%	11.7%	12.1%	10.7%	10.0%	11.8%	9.2%	15.5%	12.4%	11.9%	12.9%	10.7%	10.9%
SC 70 - 99%	6.0%	7.1%	6.3%	5.5%	5.6%	3.5%	7.1%	7.6%	5.7%	4.9%	3.5%	3.6%
SC 100%	10.9%	14.9%	8.6%	10.3%	7.9%	7.5%	10.6%	11.3%	14.2%	13.6%	5.0%	7.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>VERA Patient Class, %</u>												
Complex*	18.3%	20.1%	29.5%	14.5%	22.5%	26.7%	18.0%	18.6%	15.7%	14.8%	20.1%	19.3%
Basic vested, Cat A*	75.1%	73.6%	61.3%	77.0%	68.2%	65.6%	76.2%	75.6%	76.4%	80.9%	72.5%	74.2%
Basic Non-vested, Cat A*	0.7%	0.4%	1.5%	0.3%	1.2%	1.5%	0.6%	1.0%	0.9%	0.6%	0.9%	1.0%
Basic, Cats C and N	5.8%	5.8%	7.7%	8.2%	8.0%	6.2%	5.2%	4.7%	7.0%	3.7%	6.6%	5.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded												
<u>Patient eligibility category, %</u>												
Cat A (SC or low income)	93.6%	93.5%	90.9%	91.3%	90.4%	93.0%	94.2%	95.0%	92.5%	95.9%	93.0%	94.0%
Cat C (NSC and higher income)	5.7%	5.4%	8.1%	7.7%	8.8%	6.4%	5.6%	4.7%	6.6%	3.5%	6.6%	5.5%
Non-Veteran	0.7%	1.1%	1.0%	1.0%	0.8%	0.7%	0.2%	0.3%	1.0%	0.6%	0.4%	0.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>Substance Dependence and Abuse</u>												
Any dx of alcohol / drug dependence or abuse, %	20.6%	21.3%	19.1%	21.2%	19.0%	24.4%	17.0%	19.8%	13.1%	15.5%	21.6%	23.3%
<u>Homelessness</u>												
Homelessness indicated in FY01, %	9.7%	8.9%	8.6%	10.5%	7.8%	12.8%	5.9%	7.2%	5.9%	4.9%	11.2%	9.7%
<u>Residence in Metropolitan Area</u>												
Residing in a Metropolitan Statistical Area, %	75.4%	74.4%	78.9%	98.8%	82.6%	90.9%	67.7%	69.2%	75.8%	59.4%	85.4%	72.7%
<u>Distance</u>												
Mile from Closest VA Medical Center, mean	33.68	22.20	20.95	9.10	16.81	13.01	29.02	31.74	37.82	35.11	24.61	29.09
SD	73.24	23.89	21.56	10.37	16.04	16.42	23.26	27.04	32.96	30.84	20.09	30.48
Miles from Closest VA Service Site, mean	11.73	8.96	7.21	3.44	7.64	6.82	17.83	16.23	8.84	16.35	8.44	12.75
SD	14.53	9.60	7.49	3.76	6.82	7.04	14.09	14.79	8.79	13.85	8.55	12.36

Table 2E: FY01 Patients w/ Other Psychoses, Patient Characteristics, by VISN (continued)

	all VISNs	VISN 12	VISN 13	VISN 14	VISN 15	VISN 16	VISN 17	VISN 18	VISN 19	VISN 20	VISN 21	VISN 22
Patients w/ Other Psychoses	32380	1270	736	356	1889	3432	1657	1586	782	1351	1619	1853
<u>Service Connection (SC)</u>												
Non-SC	60.6%	69.4%	61.8%	68.3%	66.6%	58.5%	56.2%	57.3%	58.7%	54.0%	59.4%	63.5%
SC 0 - 29%	10.9%	9.9%	9.0%	7.6%	9.5%	11.6%	11.5%	11.7%	9.5%	12.1%	10.8%	12.1%
SC 30 - 69%	11.7%	9.4%	11.4%	10.4%	11.3%	11.9%	12.7%	12.4%	9.8%	12.8%	11.1%	10.8%
SC 70 - 99%	6.0%	4.2%	5.0%	5.6%	3.6%	6.1%	8.1%	7.9%	7.4%	9.0%	7.0%	4.6%
SC 100%	10.9%	7.1%	12.8%	8.1%	9.0%	11.9%	11.5%	10.7%	14.6%	12.1%	11.7%	9.0%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>VERA Patient Class, %</u>												
Complex*	18.3%	24.3%	21.5%	20.8%	14.7%	14.1%	18.0%	20.2%	21.1%	19.2%	19.8%	15.3%
Basic vested, Cat A*	75.1%	69.4%	67.8%	69.4%	77.3%	80.1%	76.4%	74.1%	71.1%	77.1%	75.7%	79.3%
Basic Non-vested, Cat A*	0.7%	0.4%	0.3%	0.8%	0.8%	0.7%	0.7%	0.2%	0.9%	0.6%	0.8%	0.6%
Basic, Cats C and N	5.8%	5.9%	10.5%	9.0%	7.2%	5.2%	4.9%	5.4%	6.9%	3.0%	3.8%	4.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
* Funded												
<u>Patient eligibility category, %</u>												
Cat A (SC or low income)	93.6%	93.4%	88.5%	90.7%	92.3%	94.6%	94.5%	93.9%	92.2%	96.8%	95.7%	94.7%
Cat C (NSC and higher income)	5.7%	6.1%	9.9%	8.7%	6.7%	4.6%	5.0%	5.3%	7.4%	3.0%	3.6%	4.9%
Non-Veteran	0.7%	0.6%	1.6%	0.6%	1.0%	0.8%	0.5%	0.8%	0.4%	0.2%	0.7%	0.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
<u>Substance Dependence and Abuse</u>												
Any dx of alcohol / drug dependence or abuse, %	20.6%	27.9%	24.7%	20.5%	19.5%	17.8%	17.4%	18.5%	20.8%	31.2%	32.7%	24.4%
<u>Homelessness</u>												
Homelessness indicated in FY01, %	9.7%	10.6%	8.8%	5.3%	9.8%	7.4%	9.1%	9.0%	6.4%	21.4%	17.7%	17.1%
<u>Residence in Metropolitan Area</u>												
Residing in a Metropolitan Statistical Area, %	75.4%	81.4%	53.5%	48.2%	61.4%	68.2%	75.0%	77.0%	68.8%	73.8%	88.7%	99.3%
<u>Distance</u>												
Mile from Closest VA Medical Center, mean	33.68	23.09	44.92	49.43	28.85	40.50	38.59	43.36	49.15	97.80	29.54	20.14
SD	73.24	26.28	48.65	49.26	32.88	34.51	47.86	63.11	54.86	308.06	41.94	25.35
Miles from Closest VA Service Site, mean	11.73	8.65	18.92	16.84	12.42	17.43	10.68	10.95	13.68	15.09	8.64	6.07
SD	14.53	9.49	20.14	17.92	13.24	15.56	10.90	13.35	19.68	34.86	11.84	6.86

